



- TX
- RX

13,8 V.DC




13,8 V. DC

TAST



HF
 LF



13.8 V.DC

TAST

PILOT

1750 HZ

12V.RX
12V.C

12V.TX

LP1

800 HZ

MD511

MD512A

MD538

MD530

MD535

MD542

MD522

MD521

MD541

MD520

MD501

MD502

S-meter

HF LF

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Omskifter set fra bunden.

B1a: Trin 1= FM-modulator
Trin 2-3= SSB-modulator

B1b: Mikrofon

B2a: Trin 1= S-meter, MD 501
Trin 2-3-4= S-meter, MD 502

B2b: S-meter +

B3a: Trin 1=
Trin 2-3=
Trin 4=

B3b: MD 520, 1 og 2

B4a: Trin 1-2-3= MD 538, ben 1

B4b: 12Vrx

A1a: Trin 1= MD 538, ben 5
Trin 2-3-4= MD 538, ben 2

A1b: 12Vtx

A2a: Trin 1= Repeater-omskifter
Trin 2-4= MD 538, 8
Trin 3= MD 538, 9

A 2b: Stel